



Classic Hunting

The machine is equipped either with Honda 9 or 13 Hp.

It has up- raised steering handle and transport position. Max speed 7 km/h and 6,1 l fuel tank. Equipped with double boggie, variator, forward/reverse gear, brake, diff lock, skidbar, manual winch 10 meter.

Models

Part.no. 968 7435-14-1 IH2090 With Moose Bin

Weight 350 Kg

Part.no. 968 7435-15-1 IH2090 With Moose Trailer

Weight 366 Kg



Flex Hunting

The machine is equipped either with Honda 9 or 13 Hp. It has up raised steering handle and transportation position. Max speed 7 km/h and 6,1 l fuel tank. Equipped as standard are double boggie, variator, forward/reverse gear, brake, diff lock, skidbar and Manual winch 10 meters and **Heavy Duty Tracks**. *Mechanical adjustment accessories platform(I) or Hydraulic adjusted. incl. Hydraulic kit (HI).*

Models

Part.no. 968 7460-02 IH2090 Flex I

Heavy Duty Tracks with Moose Trailer

Weight 366 Kg

Part.no. 968 7460-02-2 IH2090 Flex I

Heavy Duty Tracks with Moose Bin

Weight 350 Kg

Part.no. 968 7460-04 IH2090 Flex HI

Heavy Duty Tracks Hydraulic with Moose Trailer

Weight 380 Kg



***All above machines can be equipped with 13 Hp**



Option: Power winch

The Power winch to the IronHorse include, a complete kit with 20 m. wire, corner block, pulley, belt, bar and cover for the transmission.

Lennartsfors
-simplifying forestry

ACCESSORIES



Timber Cart Combi

Part.no. 531 0198-47

The trailer is suspended pivotally on the IronHorse and is extensible. All stakes are collapsible and boggie. Can also be equipped with Platform (5310135-40).

Width totally:	1210 mm
Width between the Felling bunk:	785 mm
Extension of trailer min/max:	1,8–3,8 m
Weight:	155 Kg
Wheel:	16 x 6,5–8"
Loading capacity:	1000 Kg



Platform for the Timber Cart

Part.no. 531 0135-40

The platform is delivered complete with fastening brackets. Sides and tailgate are foldable. The platform is made for the Timber Cart Combi (531 01 98-47)

Lenght:	200 cm
Height (side and tailgate):	30 cm
Widht:	120 cm
Weight:	120 Kg
Loading capacity:	600 Kg

News!



Self-relieving Timber Cart

Art. Nr. 501 4002-00

Unique terrain-characteristics. Easy to disassemble during transport. The Cart can be extended or shortened. Standing position when empty.

Lenght:	119 cm – 267 cm
Width between the Felling bunk:	92,5 cm
Width totally:	140 cm
Weight:	140 Kg
Loading capacity:	800 Kg



Platform Classic Platform Flex

Part.no. 501 3984-02

Part.no. 501 3984-02-2

The platform is easily mounted on the IronHorse. With the large tailgate lowered it is easy to load heavy materials from the ground with the help of the winch.

Length:	1180 mm
Widht:	1020 mm
Height tailgate:	500 mm
Height sides:	290 mm
Weight:	72 Kg
Loading capacity:	500 Kg

ACCESSORIES



Platform Cart
Jointed platform Cart

Part.no. 531 0196-70
Part.no. 531 0196-70-1

The Platform Cart is suspended pivotally on the Iron Horse and the wheels are adjustable. When the wheels are in the low position it is ideally suited for rear loading with or without winch. The front side/ side board are fixed.

Length without wheels:	2150 mm
Width:	900 mm
Weight:	88 Kg
Length total:	2150 mm
Length w/o wheels	1730 mm
Wheel:	4,00-8"
Loading capacity	700 Kg



Tipper body Classic
Tipper body Flex HI

Part.no. 531 0135-31
Part.no. 531 0142-64

The tipper platform is delivered complete with fastening brackets, could be used either manual, winch or hydraulic. Sides and tailgate are removable. With the sides and tailgate removed, the platform is completely clean with no stakes in the corners. The front gate is not removable.

Length:	1080 mm
Width:	1070 mm
Height:	460 mm
Height sides:	290 mm
Weight:	60 Kg
Loading capacity	800 Kg



Platform for forest plants

Part.no. 531 0144-54

Length:	1197 mm
Width:	1080 mm
Height:	750 mm
Weight:	75 Kg



Snatch block

Part No. 531 0196-08

The **snatch block** is open with a swivel hook. Extremely useful in combination with the power winch, both for changing direction of pull and for winching the IronHorse forward.



Loading Plate Classic

Part No. 531 0135-15

Loading Plate Flex I-model

Part No. 531 0144-08

Kit consisting of mounting brackets and plate. This kit makes it easy to load logs using the winch as the logs slides onto the machine. Foldable in a way that it can be in horizontal position when going without any load on the machine. The loading plate is also a support to the ground and work as a brake, so the machine doesn't move backwards. The loading plate is easy to mount on existing machine.

Dimension: 420 x 935 mm

Weight: 25 kg



Loading Plate Flex HI--model

Part No. 531 0142-87

Consisting of mounting brackets and plate easy to attach onto the fel-lingbunk. This kit makes it easy to load logs using the winch as the logs slides onto the machine. Foldable in a way that it can be in horizontal position when going without any load on the machine. The perfect combination together with the Hydraulic kit easily using the piston sliding on the logs.

Dimension:

780 x 740 mm

Weight:

21 Kg

ACCESSORIES



Hydraulic Crane Classic

Part No. 531 0135-80

The Hydraulic Crane can be mounted on the IronHorse. The design with its good centre of gravity makes it possible to maintain the same good stability on the IronHorse. The Telescopic Crane is build up in a module system and is very easy to assemble on the IronHorse with 9 or 13 hp engine..

Reach:	550-2150 mm
Length of stroke:	0-1600 mm (2X800 mm)
Pressure of stroke (Push)	1120 Kg
Lifting capacity:	220 – 700 Kg
Max Rotation:	700 Kg
Pulling force:	360°
Hydraulic Pressure:	690 Kg
Weight:	140 bar
	370 kg



Loading crane

Part No. 501 3999-01

The loader can be fitted to each Ironhorse with power winch. The loader is complete with bracket to the power winch, adjustable loading arm, chains and roller.

Length loading arm (min/max):	850-1150 mm
Weight:	50 Kg



Skidding Cart

Part.no. 531 0198-35

Perfect tool to attach behind The Ironhorse without leaving a scratch on the ground. Easy way to transport out the logs. Need Power winch to operate the skidder.

Weightt:	38 Kg
----------	-------

ACCESSORIES



Tracks for the Classic model

Part.no. 531 0000-01


Kevlar armed driving tracks, made of natural rubber and epoxy pin, casted into the rubber. The tracks have a very good tearing strength and hard-wearing. The tracks are specially made for the IronHorse



Heavy Duty tracks for the Flex model

Part.no. 531 0141-40

The brand new track on the Flex Iron Horse is significantly longer life-span and provides considerably better traction on ground and snow surface



Spikes for the Classic tracks

Part.no. 531 0135-17

Mounting kit for the Driving tracks include 24 pieces for 2 Driving tracks, 12 spikes in each track. All are included in the kit, with screws, nuts and washers. The spikes have a toothed surface, as give a good grip in slippery and hard ground.

1 Spike, as spare, Part no. 531 01 41-84



Power winch IH 9 Hk & 13 Hk Power winch IH 9 Hk & 13 Hk*

**Part.no. 501 3998-05
Part.no. 531 0139-49**

The Power winch to the IronHorse includes a complete kit with 20 m. wire, corner block, pulley, belt, bar and cover for the transmission.

***For machines with intermediate drive shaft**

Pulling force
Cable
Weight

700-1000 kp
20m, 6mm
70kg



Load Guard incl. left-/right bar

Part No. 531 0135-54-1

Machine with intermediate drive shaft

Part No. 531 0135-54

Roller for Load Guard

Part No. 501 4009-01

ACCESSORIES



Hand winch Heavy Duty Incl. bracket

Partno. 531 0144-12

The Hand winch, included 20m 5mm wire, hook and bracket. 500 kg pulling force.



Timber Grapple

Part.no. 531 0143-20

The grapple fits The Ironhorse Flex with hydraulic kit. The Grapple makes it quicker and easier to move bigger logs or brushes.

Includes grip, piston, bar and attachment for Flex HI



Storage cover.

Part.no. 501 3979-02

Tailor made storage cover to protect the engine, steering lever and power winch when storing the IronHorse outside.




Detachable Working Light LED 20W Incl. bracket

Part.no. 531 0148-52

Detachable, reloading LED-light incl. attachment for The Iron-Horse. Use as working light, when driving in the terrain or place it in a suitable place when working in the forest.

High quality working light in aluminum, that runs by reloading battery. The Ball light can be adjusted in 2 stages 1000 lumen or 2000 lumen. When using option 2000 lumen it will operate for 3 hours and at 1000 lumen for approximately 7 hours.

ACCESSORIES



Hydraulic kit 5,0 cm3 Classic and Flex H

Part.no. 531 0137-03

With this Hydraulic kit you can use a wide variety of equipment and tools together with your IronHorse.
The Hydraulic kit can only be assembled on the 9 & 13 Hp version of the IronHorse.

Flow:
Pressure:

18 l/min.
140 bar



Loading bracket

Part.no. 531 0140-67

Bracket that makes it easier to load the wild animal onto the platform. The head of the animal will be placed further up towards the engine and by this gives a better balance while driving in the terrain.



Engine Cover

Part.no. 531 0140-68

The cover protects engine and exhaust system from external obstacles and dirt.(Only 9 Hp models)



Frame for EUR-pallet Classic Frame for EUR-pallet Flex

Part.no. 531 0141-33

Part.no. 531 0143-35

Smart accessories for loading a EUR pallet on the Iron Horse. Adapted for loading and unloading with pallet forks. The pallet is completely level despite the Iron Horse chassis leans back slightly.



Felling bunk with tow ball Classic, Flex och Essence

Part.no. 531 0135-24

The Felling bunk have folding bars as are possible to lock in two positions, as make it easy to load and unload big logs. The Felling bunk have ring on each side to fasten the strap and a felling function to unload the log.

Loading gap:	800 mm
Loading height:	300 mm
Loading capacity:	1000 Kg



Extension bar 1 pcs (red) Extension bar 1 pcs (black)

**Part.no. 501 3994-01
Part.no. 501 3994-01-B**

The extension bar can be used to extend the Felling bunk and increase the loading capacity. It can also be used to facilitate the loading both manual and with the winch. The extension bars have also attachment lug to attach the snatch block as can be used for winching

Length (mounted in the bar)	300 mm
Total length:	370 mm



SERVICE KIT

SERVICE KIT for your Ironhorse

Part.no. 531 0144-30 (2017– 2018), part.no. 531 0144-30-1 from 2019 -
IH2090PW/IH2013PW Variator/drive belt, winch belt, spark plug, throttle and brake wire

Service kit IH2090/IH2013 without Power winch (winch belt excluded)

Part.no. 531 0144-31 (2017 – 2018), part.no. 531 0144-31-1 from 2019 -